

Listing of the Claims

This listing of the claims replaces all prior versions and listings of claims in this application.

1. (Currently amended) A method of oxidizing an organic compound present in soil, groundwater, process water or wastewater said method comprising contacting the organic compound with a composition comprising a persulfate [water soluble peroxygen compound], a source of divalent or trivalent transition metal ions, and a chelating agent for said metal ions.
2. (Currently amended) A method as in claim 1, wherein the organic compound is present in soil, groundwater, [process water] or wastewater.
3. (Original) A method as in claim 1, wherein the organic compound is selected from the group consisting of volatile organic compounds, semi-volatile organic compounds, polyaromatic hydrocarbons, polychlorobiphenyls, pesticides and herbicides.
4. (Currently amended) The method as in claim 1, wherein the [peroxygen compound] persulfate is a dipersulfate.
5. (Original) The method as in claim 4, wherein the dipersulfate is selected from sodium, potassium or ammonium persulfate or a combination thereof.
6. (Currently amended) The method as in claim 1, wherein the [peroxygen compound] persulfate is a monopersulfate.
7. (Original) The method as in claim 6, wherein the monopersulfate is selected from sodium and potassium monopersulfate.

8. (Currently amended) The method as in claim 1, wherein the [peroxygen compound] persulfate is a combination of a dipersulfate and monopersulfate.
9. (Original) The method as in claim 1, wherein the transition metal is iron.
10. (Original) The method as in claim 9, wherein the iron is divalent.
11. (Original) The method as in claim 9, wherein the iron is trivalent.
12. (Original) The method as in claim 1, wherein the chelating agent is ethylenediaminetetraacetic acid.
13. (Original) The method as in claim 1, wherein the amount of chelating agent is equal to at least the stoichiometric amount to chelate all of the transition metal.
14. (Original) The method as in claim 1, wherein the amount of chelated transition metal is sufficient to deliver an equivalent amount of transition metal in the range of 1 – 1000 ppm.
15. (Currently amended) The method as in claim 1, wherein the amount of [peroxygen compound] persulfate is sufficient to satisfy the soil oxidant demand and to oxidize substantially all of the organic compound.
16. (Currently amended) The method as in claim 1, wherein the chelating agent, transition metal and the [peroxygen compound] persulfate are added in combination.
17. (Currently amended) The method as in claim 1, wherein the chelating agent, transition metal and the [peroxygen compound] persulfate are added sequentially.
18. (New) The method as in claim 1, wherein the chelating agent is citrate.